



I Niverban	Hits	Coord Tord	LOD	Time stores
L Number		Search Text	DB	Time stamp
-	2	m\$2bist and collar	USPAT;	2004/05/13 12:24
			US-PGPUB;	
	•	40/007 044	IBM_TDB	
-	0	10/027,311	USPAT;	2004/05/12 17:03
			US-PGPUB;	
		A.	IBM_TDB	
-	11	m\$2bist and wrapper	USPAT;	2004/05/12 17:07
			US-PGPUB;	
			IBM_TDB	
-	96	bist and collar	USPAT;	2004/05/12 17:50
			US-PGPUB;	
			IBM_TDB	
-	254	wu.in. and collar	USPAT;	2004/05/12 17:50
			US-PGPUB;	
			IBM_TDB	
-	2	(wu.in. and collar) and bist	USPAT;	2004/05/12 17:50
			US-PGPUB;	
			IBM_TDB	
-	1	6587979.pn.	USPAT;	2004/05/13 13:51
			US-PGPUB;	
			IBM_TDB	
-	24	("6567325" or "6510530" or "6088823" or "6263461" or	USPAT;	2004/05/13 13:54
		"6694461" or "6044481").pn	US-PGPUB;	
			IBM_TDB	•
-	6	("6567325" or "6510530" or "6088823" or "6263461" or	USPAT;	2004/05/13 13:54
		"6694461" or "6044481").pn.	US-PGPUB;	
			IBM_TDB	
-	22	(("6567325" or "6510530" or "6088823" or "6263461" or	USPAT;	2004/05/13 13:54
		"6694461" or "6044481").pn) and enable	US-PGPUB;	
			IBM_TDB	
-	4	(("6567325" or "6510530" or "6088823" or "6263461" or	USPAT;	2004/05/13 13:54
		"6694461" or "6044481").pn.) and enable with memory	US-PGPUB;	
1		· · · ·	IBM_TDB	
-	666200	(("6567325" or "6510530" or "6088823" or "6263461" or	USPAT;	2004/05/13 13:55
		"6694461" or "6044481").pn.) and (enable with memor)y	US-PGPUB;	
			IBM_TDB	
-	4	(("6567325" or "6510530" or "6088823" or "6263461" or	USPAT;	2004/05/13 13:55
		"6694461" or "6044481").pn.) and (enable with memory)	US-PGPUB;	
			IBM TDB	